











Made in China

Using Your Generator Light Phone Laptop Mini Fridge

Press and hold the Main Power Button for 2 seconds, the power station will be turned on.
 Press and hold the AC Button for 2 seconds to turn on/ off AC output port.
 Press the 12V/ USB Button to turn on/ off the corresponding output port.
 You'll Know the output port is turned on when the green LED light on the button is illuminated.
 Press the DISPLAY Button turn on/ off the LCD display.
 When not using certain ports, make sure to turn them off to conserve

Best-use strategy: • When charging device with your Generator, take note of the LCD Battery Display.

When changing device with your deheator, take note of the ECO battery pisplay.
 Make sure that the electronic devices you are powering works properly prior to use. The max, power consumption for electronic devices is 200W.
 If you plug in devices that have a high power requirement (a large refrigerator
 etc.), the charge level of your Generator can drop very quickly and you may not get exactly 225Wh of

If you plug in devices that have a high power requirement (a large refrigerator

• etc.), the charge level of your Generator can drop very quickly and you may not get exactly 225Wh of energy. Also, especially when using the AC power output, the Generator will be converting the energy from the DC power of the battery to the AC power needed by your device. Although Generator 200 has a highly efficient inverter, there is still some energy lost in the conversion and you will not get the full rated capacity of the battery.

Appropriate temperature usage: Cold temperatures can impact both

Cold temperatures can impact both the battery capacity and the output power.

The Generator can power your devices at temperatures ranging from 14°F~104°F (-10°C~40°C). If your working temperature is beyond this range, the Generator may stop working.

05

Technical Specifications Battery Cell Type: Lithium-ion Pack Capacity: 225Wh (10.8V, 20.8Ah) Lifecycles: 500 cycles to 80% capacity Shelf-life: Charge every 3-6 months Management System: PWM charge controller, BMS Ports AC Output Port: 220V, 50Hz (200W, 300W surge) 12V DC 5.5mm Port(output): 12V/ 5A, 60W max 12V Car Port(output): 12V/10A, 120W max USB-A Ports(output): 5V/ 3.1A USB-A QC Port(output): 5-9V, 18W max USB-C PD Port(input/output): 5-20V, 30W max DC Charging Port(5.5mm, input): 11-24V, 45W max Weight: 3.2kg Dimension: 230*150*140mm Operating Temp.: -10°C~40°C Charging Temp.: 0°C-40°C Warranty: 12 months

Troubleshooting

TEMPERATURE WARNING: The unit is over-heating.

If your devices are not recharging from Generator, follow these steps:

1. Ensure the output port has been turned on. The green LED light on the power button should be lit up.

2. Check the Battery Display. If it is at 20% or below, charge it.

03

Check the Battery Display. If it is at 20% or below, charge it.
 Werify your device is suitable for use with the Generator:
 All of the output ports have their own max power capacity. Check the Tech Specs to ensure your device is compatible.

3. Check the LCD Display for warning icons:

⚠ OVERLOAD WARNING: Power draw exceeds port's maximum allowance, indicated by redlight in the port's button. You need to remove the device incorresponding port first, and then press the button of the port to recover.

☐ TEMPERATURE WARNING: The power station gets over-heating, allow it to

Frequently Asked Questions

cool, and then press the Main Power button to recover.

What type of battery is in a Generator?
Generator contains a battery pack which consists of an array of cylindrical 18650 lithium battery cells with high energy density.

Can I charge Generator while supplying power at the same time? When Generator is in recharging, the USB and DC 12V output ports are workable; but the AC output is shut down at this period.

Can I take my Generator on a plane?

No, you can't. Generator contains a large number of lithium-ion batteries with a capacity considered to be hazardous by airlines.

How do I know if my device will work with the Generator200?
You'll need to determine the amount of power your device requires. This may require some research on your end, a good internet search or examining the user guide for your device should suffice. To be compatible with the Generator, you should use devices that require less than 200W.

Security & Maintenance

Do not short-circuit the unit. To avoid short-circuiting, keep the unit away from all metal objects (e.g. coins, hair-pins, keys, etc.).
Do not heat the unit, or dispose of it in fire, water or other liquids.
Keep away from high temperatures. Do not expose the unit to direct sunlight.
Keep away from high humidity, dusty places.
Do not disassemble or reassemble this unit.
Do not drop, place heavy objects on, or allow strong impact to this unit.
This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

Children should be supervised to ensure that they do not play with the appliance.
Do not cover the device with towels, clothing and another item.
Use the unit properly to avoid electronic shock.
Please deal with scrap products in accordance with the regulations, do not treat the built-in battery as a household garbage, so as not to cause the explosion and pollution.
The product is only used for emergency power station; it can not replace the standard DC or AC power of household appliances or digital products.

08

06

07